2013

Non-Public Accredited Schools

≤ 1999-2013 Trend Data

Montana Youth Risk Behavior Survey

Montana Office of Public Instruction Health Enhancement and Safety Division June 2013



Injury and Violence								
Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Rode a bicycle and never or rarely								
wore a bicycle helmet during the				64.1	72.7	75.5	75.2	69.2
past 12 months				V 11.1		70.0	70.2	00.2
Never or rarely wore a seat belt								
when riding in a car driven by				7.5	9.6	6.8	9.0	10.1
someone else					0.0	0.0	0.0	
Never or rarely wore a seat belt								
when driving a car				9.7	13.5	9.1	10.5	9.0
Rode in a car driven by someone								
who had been drinking alcohol				31.2	26.1	20.6	25.0	23.6
during the past 30 days				V 1.1_				
Drove a car when they had been								
drinking alcohol during the past 30				17.0	15.2	7.2	10.5	13.3
days				•			10.0	10.0
Texted or e-mailed while driving a								
car during the past 30 days							57.8	64.7
Talked on a cell phone while driving								
a car during the past 30 days							61.2	68.5
Carried a weapon such as a gun,								
knife, or club during the past 30 days				14.6	17.7	11.1	15.5	17.4
Carried a gun during the past 30						0.4		
days				6.2	8.3	3.1	4.4	8.7
Carried a weapon on school				4.0		4.0	0.0	0.4
property during the past 30 days				4.0	6.0	1.9	6.3	6.1
Had property such as their car,								
clothing, or books stolen or				20.4	22.0	20	22.0	22.5
deliberately damaged on school				30.4	23.8	-	23.6	22.5
property during the past 12 months								
Did not go to school because they								
felt unsafe at school or on their way				3.7	2.7	3.1	3.2	4.6
to or from school during the past 30				3.1	2.1	3.1	3.2	4.0
days								
Had been threatened or injured with								
a weapon on school property during				6.5	5.8	2.2	4.6	5.3
the past 12 months								
Were in a physical fight during the	1			32.8	28.4	25.6	21.9	20.4
past 12 months				52.0	20.7	25.0	21.3	20.7
Were injured in a physical fight that	1							
required medical treatment during	1			5.6	2.9	1.3	4.3	2.2
the past 12 months								
Were in a physical fight on school				10.5	9.9	6.0	6.9	6.7
property during the past 12 months				10.5	3.3	0.0	0.3	0.1

Injury and Violence	4000	0004	0000	0005	0007	0000	0044	0040
Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Were hit, slapped, or physically hurt								
on purpose by their boyfriend or				11.9	9.9	7.6	12.1	NA
girlfriend during the past 12 months				1110				
Have ever been physically forced to								
have sexual intercourse when they				8.6	7.7	6.9	8.4	8.3
did not want to				0.0	• • • •	0.0	0.7	0.0
Of dating students, were purposely								
hit, slammed into something, or								
injured with an object or weapon by								9.2
someone they were dating during the								0.2
past 12 months								
Of dating students, were forced to do								
sexual things (e.g., kissing, touching,								
or being physically forced to have								
sexual intercourse) by someone they								9.9
were dating or going out with during								
the past 12 months								
Had been bullied on school property								
						21.3	22.3	20.0
during the past 12 months Had been electronically bullied, such								
as through e-mail, chat rooms, instant						22.4	21.2	13.9
messaging, Web sites, or text								
messaging during the past 12 months								
Had been the victim of teasing, name								
calling or bullying because someone								7.7
thought they were gay, lesbian, or								
bisexual during the past 12 months								
Have ever been choked by someone								
or tried to choke themselves on								
purpose for the feeling or experience								7.6
it caused (e.g., Choking Game,								
Knock Out, Space Monkey, Flatlining								
or the Fainting Game)								
Felt so sad or hopeless for two weeks								
or more in a row that they stopped				28.4	22.8	19.0	21.2	21.4
doing some usual activities during the								
past 12 months								
Seriously considered attempting				17.4	11.9	12.6	12.7	13.2
suicide during the past 12 months				ļ				
Made a plan about how they would				4	44-		4.5.	,, ,
attempt suicide during the past 12				13.7	11.8	9.5	12.9	11.8
months								
Actually attempted suicide during the				10.8	11.7	10.9	15.9	16.7
past 12 months				. 0.0		. 0.0	. 0.0	
Had a suicide attempt resulting in								
injury, poisoning, or overdose that				2.8	3.7	0.9	6.6	6.5
required medical treatment during the				0	J.,	0.0	0.0	0.0
past 12 months				1				

Tobacco Use	1999	2001	2003	2005	2007	2009	2011	2013
Percentage of students who	1999	2001	2003	2003	2001	2009	2011	2013
Ever tried cigarette smoking				50.2	40.6	32.9	38.3	29.8
Smoked a cigarette before age 13				14.6	13.9	3.5	9.6	9.3
Smoked a cigarette on one or more of the past 30 days ("current")				25.2	17.6	8.8	16.1	13.6
Smoked cigarettes on 20 or more of the past 30 days ("frequent")				5.6	7.5	1.5	6.3	4.5
Among current smokers, smoked more than 10 cigarettes per day on the days they smoked during the past 30 days				1.2	2.1	0.0	5.2	10.0
Usually got their cigarettes by buying them in a store or gas station during the past 30 days				39.2	28.6	32.1	30.4	21.3
Smoked cigarettes on school property during the past 30 days				7.8	5.6	0.6	4.3	5.7
Ever smoked cigarettes daily; that is, at least one cigarette every day for 30 days ("regular")				15.5	15.4	5.6	15.5	10.6
Among current smokers, tried to quit smoking during the past 12 months				64.7	67.0	44.4	54.1	53.0
Used chewing tobacco, snuff, or dip during the past 30 days				14.9	9.9	7.9	13.7	14.8
Used chewing tobacco, snuff, or dip on school property during the past 30 days				10.2	5.6	4.7	8.9	8.8
Smoked cigars, cigarillos, or little cigars during the past 30 days				13.9	14.2	12.5	16.8	15.6

Alcohol and Other Drug Use	1999	2001	2003	2005	2007	2009	2011	2013
Percentage of students who Had at least one drink of alcohol				79.7	65.5	66.1	70.1	63.1
during their life				73.7	00.0	00.1	70.1	00.1
Had first drink of alcohol before age 13				21.6	19.5	13.5	15.4	13.1
Had at least one drink of alcohol during the past 30 days ("current")				45.8	36.0	30.3	39.3	33.1
Had at least one drink of alcohol on school property during the past 30 days				7.1	5.1	1.6	6.9	5.4
Had five or more drinks of alcohol in a row during the past 30 days ("binge drink")				33.4	26.1	18.2	27.7	24.5
Had 10 or more drinks within a couple hours during the past 30 days								7.0
Among current users of alcohol, usually got the alcohol they drank from someone who gave it to them during the past 30 days					30.8	38.9	28.7	27.5
Used marijuana during their life				41.6	32.7	24.3	38.9	34.9
Tried marijuana before age 13				9.9	11.3	1.6	9.7	7.3
Used marijuana during the past 30 days ("current")				25.5	18.1	10.7	23.8	18.5
Used marijuana on school property during the past 30 days				5.3	4.2	1.6	7.7	5.9
Used any form of cocaine during their life				7.8	5.2	2.8	7.5	8.5
Used any form of cocaine during the past 30 days ("current")				3.1	1.5	1.3	4.9	NA
Used inhalants during their life				14.4	13.2	9.7	8.6	9.5
Used inhalants during the past 30 days								6.4
Used heroin during their life				0.9	1.3	0.9	2.3	4.8
Used methamphetamines during their life				7.2	4.5	0.9	2.9	8.0
Used ecstasy during their life				3.4	5.1	2.5	10.1	9.3
Took steroid pills or shots without a doctor's prescription during their life				3.7	2.0	0.6	2.9	4.9

Alcohol and Other Drug Use -continued Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription							17.7	14.4
Used a needle to inject any illegal drug into their body during their life				1.5	1.0	0.9	2.6	3.2
Were offered, sold, or given an illegal drug on school property during the past 12 months				22.3	16.2	16.5	26.3	18.6

Sexual Behaviors Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Ever had sexual intercourse				39.6	32.1	31.5	38.1	42.5
Had sexual intercourse before age 13				3.8	7.0	1.9	7.3	5.6
Had sexual intercourse with four or more people during their life				1.5	11.5	6.9	15.9	13.4
Had sexual intercourse during the past three months ("current")				26.8	21.1	19.4	26.3	29.0
Drank alcohol or used drugs before last sexual intercourse				35.2	39.7	19.0	32.2	29.2
Currently sexually active and used a condom during last sexual intercourse				56.6	78.4	76.6	66.9	56.3
Currently sexually active and used birth control pills to prevent pregnancy before last sexual intercourse				15.7	11.9	17.5	9.0	15.4
Had ever been taught about AIDS or HIV infection				86.5	81.8	74.4	72.6	71.3

Weight Management and Dietary Behaviors	1999	2001	2003	2005	2007	2009	2011	2013
Percentage of students who								
Described themselves as slightly or very overweight				36.4	27.0	24.2	27.0	26.0
Were trying to lose weight				48.9	39.1	42.5	40.7	39.3
Went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days				9.0	8.8	9.5	11.1	12.6
Took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days				3.7	5.0	3.2	5.5	5.1
Vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days				6.0	4.5	6.1	5.0	5.5
Drank 100% fruit juices during the past seven days				86.6	87.1	83.8	83.2	77.2
Ate fruit during the past seven days				91.9	93.2	96.2	92.0	95.2
Ate green salad during the past seven days				83.2	77.7	76.3	75.8	75.4
Ate potatoes during the past seven days				73.4	78.4	75.0	75.7	70.1
Ate carrots during the past seven days				62.5	63.2	61.6	64.5	68.6
Ate other vegetables during the past seven days				88.0	86.1	87.7	87.3	87.5
Drank at least one can, bottle, or glass of soda or pop daily during the past seven days					22.0	19.2	19.8	17.8
Drank at least one can, bottle, or glass of diet soda or pop daily during the past seven days								8.6
Drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt (not sports drinks such as Gatorade or PowerAde), during the past seven days							27.9	NA
Drank three or more glasses of milk per day during the past seven days				21.1	20.2	19.5	NA	14.3

Physical Activity Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Were physically active for a total of at least 60 minutes per day on five or more of the past seven days				37.8	49.0	57.2	55.4	56.4
Watched three or more hours per day of TV on an average school day				21.7	18.6	18.3	23.5	19.3
On an average school day, played 3 or more hours of video or computer games or used a computer for something not school-related*					12.7	12.1	13.8	22.8
Attended physical education (PE) classes on one or more days in an average week when they were in school				61.2	58.1	57.4	59.6	57.7
Attended physical education (PE) classes daily in an average week when they were in school				14.9	19.9	11.3	3.9	6.2
Played on one or more sports teams during the past 12 months				82.5	75.4	82.2	77.8	78.7

^{*} Count time spent on things such as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other special networking tools, and the Internet.

Other Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Had ever been told by a doctor or nurse that they had asthma				23.6	21.9	23.9	23.5	27.5
Had been told by a doctor or nurse that they have had asthma and who still have asthma					12.9	14.4	14.8	NA
Used a tanning device such as a sunlamp, sunbed, or tanning booth during the past 12 months								14.7
Received help from a resource teacher, speech therapist or other special education teacher during the past 12 months		17.5	17.0	5.7	7.1	8.6	10.0	15.2

Page 7

2013 Youth Risk Behavior Survey

Montana Non-Public Accredited Schools - Trend Report

Montana Office of Public Instruction

Denise Juneau, Superintendent